

DSK-2H

2-Port 4K HDMI USB KVM Switch with Digital Audio



Control two computers' USB Keyboard-Mouse functions with 4K-ready HDMI video connectors and digital audio support.

FEATURES

- Low-cost KVM solution.
- Includes all necessary cables.
- Supports USB keyboard-mouse control on up to two connected computer systems.
- Supports up to 4K (3840x2160 @ 30Hz)
- Supports HDMI displays.
- Supports digital audio over HDMI.
- Easy switching via push button.
- Plug-and-play, compact design for simple use & integration.

APPLICATIONS

- Offices
- Homes
- Small Businesses
- Control Rooms
- Production Studios
- Banks
- Industrial Sites
- Hospitals
- Schools & Universities
- ... and more!



4K/2K

Smart-AVI
SMART AUDIO VIDEO INNOVATION

OVERVIEW

Perfect for small office and home settings, the DSK-2H is an ultra-small 2-port HDMI KVM unit with digital audio support and easy push-button switching. Using a USB keyboard and mouse combo with a HDMI monitor, users can control two connected computer systems with ease.

The DSK-2H's HDMI connectivity offers both 4K Ultra-HD (3840x2160 @ 30Hz) resolution and digital audio for the very best picture & sound quality.

The DSK-2H is plug-and-play ready, lightweight, and simple to integrate into nearly any work setting. KVM has never been so simple or effective, thanks to the DSK-2H solution Powered by SmartAVI.



KVM MANAGEMENT MADE EASY

The DSK-2H features plug-and-play control of USB keyboard-mouse and HDMI video from two connected computers at the press of a single button.

FULL ULTRA-HD VIDEO AND DIGITAL AUDIO SUPPORT

The DSK-2H supports video resolutions up to 4K (3840x2160 @ 30Hz) and digital audio from HDMI sources.


FULL USB KEYBOARD AND MOUSE EMULATION

The DSK-2H features responsive and reliable USB keyboard-mouse functionality, making for a seamless user experience when controlling connected computers.

COMPACT SOLUTION

The DSK-2H is lightweight and easy to carry around on-the-go. Users can hook the KVM device up to any system and start using it immediately, thanks to SmartAVI's signature plug-and-play accessibility. The DSK-2H is quite simply our easiest KVM solution!

DIAGRAM



SPECIFICATIONS

VIDEO & AUDIO		USB	
Link Rate	5.4 Gbps/lane	INPUT	(2) USB Type A Male
Video Input	(2) HDMI Male	OUTPUT	(2) USB Type A Female
Video Output	(1) HDMI Female	OTHER	
Resolution	Up to 4K (3840x2160 @ 30Hz)	Dimensions	65mm H x 85mm D x 25mm W
Auto-Scan Interval	10s	Weight	0.72 lbs
DDC Compatibility	DDC 1, 2 Support	Power	Powered by PC connection
Audio Input	(2) HDMI digital audio IN	Operating Temp.	-5 to +35°C (+23 to +95°F)
Audio Output	(1) HDMI digital audio OUT	Storage Temp.	-4-185°F (-20-85°C)
		Humidity	5 to 90% (No Condensation)
CONTROL			
Push Button	Switch between sources 1 & 2		
Hot Keys	Via Keyboard		

ORDERING INFORMATION

Part No.	Description
DSK-2H-S	2-Port HDMI USB KVM with Digital Audio. Includes: [DSK-2H]



Designed and Manufactured in the USA

www.smartavi.com

Tel: 800.AVI.2131 • 818.503.6200 • 11651
Vanowen St. North Hollywood, CA. 91605

Smart-AVI
SMART AUDIO VIDEO INNOVATION